Contents

Letters to the Editor		HE 2350-3908: a dwarf nova with a 78 ^m orbital period	
The geometry of the quadruply imaged quasar PG 1115+080; implications for H ₀ Courbin F., Magain P., Keeton C.R., Kochanek C.S., Vanderriest C., Jaunsen A.O., Hjorth J.	L1	Augusteijn T., Wisotzki L. Short-term variability in comet C/1995 O1 Hale-Bopp Rodríguez E., Ortiz J.L., López-González M.J., Rolland A., Hobart M.A., Sánchez-Blanco E., Gutiérrez P.J.,	L57
Extinction map of Chamaeleon I molecular cloud with DENIS star counts		López-Moreno J.J. The Chemical Composition of Sakurai's Object Kipper T., Klochkova V.G.	L61 L65
Cambrésy L., Epchtein N., Copet E., de Batz B., Kimeswenger S., Le Bertre T., Rouan D., Tiphène D. The complex X-ray spectrum of the low-mass X-ray binary	L5	Observational limits on machos in the Galactic Halo Renault C., Afonso C., Aubourg É., Bareyre P., Bauer F.,	Los
4U 1626-67 Owens A., Oosterbroek T., Parmar A.N.	L9	Brehin S., Coutures C., Gaucherel C., Glicenstein J.F., Goldman B., Gros M., Hardin D., de Kat J., Lachièze-Rey	
Mid-IR colors and star formation in Virgo and Coma galaxies Boselli A., Lequeux J., Contursi A., Gavazzi G., Boulade O., Boulanger F., Cesarsky D., Dupraz C., Madden S., Sauvage M., Viallefond F., Vigroux L.	L13	M., Laurent B., Lesquoy E., Magneville C., Milsztajn A., Moscoso L., Palanque-Delabrouille N., Queinnec F., Rich J., Spiro M., Vigroux L., Zylberajch S., Ansari R., Cavalier F., Couchot F., Mansoux B., Moniez M., Perdereau O.,	
On the possible origin of gamma ray bursts as a result of interaction of relativistic jets with the soft photon field in dense stellar	LIJ	Beaulieu JPh., Ferlet R., Grison Ph., Vidal-Madjar A., Guibert J., Moreau O., Maurice É., Prévôt L., Gry C., Char S., Fernandez J.	L69
regions Drozdova D.N., Panchenko I.E.	L17	A 2.8-second quasi-coherent oscillation in the soft X-ray flux of the dwarf nova SS Cygni	
Inhibition of turbulent transfer in self-gravitating flows below the Jeans length Grappin R., Léorat J., Hulin S.	L21	van Teeseling A. Soft X-ray observations of the complex warm absorber in MCG-	L73
Mass and radius of the white dwarf in the binary V 471 Tauri from ORFEUS and HIPPARCOS observations		6-30-15 with BeppoSAX Orr A., Molendi S., Fiore F., Grandi P., Parmar A.N., Owens A.	L77
Werner K., Rauch T. The luminous ,Seyfert 1' type II Supernova 1997ab	L25	Stellar evolution of low and intermediate-mass stars. IV. Hydrody- namically-based overshoot and nucleosynthesis in AGB stars	
Hagen HJ., Engels D., Reimers D. Hipparcos data on Herbig Ae/Be stars: an evolutionary scenario	L29	Herwig F., Blöcker T., Schönberner D., El Eid M.	L81
van den Ancker M.E., Thé P.S., Tjin A Djie H.R.E., Catala C., de Winter D., Blondel P.F.C., Waters L.B.F.M.	L33		
A SAX/LECS X-ray observation of the active binary Capella Favata F., Mewe R., Brickhouse N.S., Pallavicini R., Micela		Cosmology	
G., Dupree A.K. A BeppoSAX observation of the coronal X-ray emission of the active binary VY Ari	L37	Evolution of a hot primordial gas in the presence of an ionizing ultraviolet background: instabilities, bifurcations, and the forma- tion of Lyman limit systems	
Favata F., Mineo T., Parmar A.N., Cusumano G.	L41	Mücket J.P., Kates R.E.	1
BeppoSAX LECS/MECS X-ray spectroscopy of the young super- nova remnant N 132D		Heating of coronal loops by phase-mixing Hood A.W., González-Delgado D., Ireland J.	11
Favata F., Vink J., Parmar A.N., Kaastra J.S., Mineo T. The broad-band X-ray spectrum of the Cas A supernova remnant as	L45	Weak lensing detection in CMB maps Bernardeau F.	15
seen by the BeppoSAX observatory Favata F., Vink J., Dal Fiume D., Parmar A.N., Santangelo A., Mineo T., Preite-Martinez A., Kaastra J.S., Bleeker		The huge enhancement of Spectral-Spatial Fluctuations (SSF) in the Cosmic Background Radiation (CBR) Dubrovich V.K.	27
J.A.M.	L49	AGAPE: a search for dark matter towards M 31 by microlensing	,
Helium line profile variations in the DAB white dwarf HS 0209+0832 Heber U., Napiwotzki R., Lemke M., Edelmann H.	L53	effects on unresolved stars Ansari R., Aurière M., Baillon P., Bouquet A., Coupinot G., Coutures Ch., Ghesquière C., Giraud-Héraud Y., Gondolo	
		P., Hecquet J., Kaplan J., Le Du Y., Melchior A.L., Moniez	843

Extragalactic astronomy		Dynamical effects of softening in N-body simulations of disc	
Internal extinction and gas column density in spiral galaxies	22	galaxies. Method and first applications Romeo A.B.	523
Xu C., Buat V., Boselli A., Gavazzi G. Starbursts in barred spiral galaxies. II. Molecular and optical study	32	An SPH code for galaxy formation problems. Presentation of the code	
of three Wolf-Rayet galaxies Contini T., Wozniak H., Considère S., Davoust E.	41	Hultman J., Källander D.	534
Molecular absorption and its time variations in Centaurus A Wiklind T., Combes F.	51		
Chemical composition of six K supergiants in the Small Magellanic		Stellar clusters and associations	
Cloud Hill V.	435	Red giants in open clusters. VII. Melotte 71 Mermilliod JC., Clariá J.J., Andersen J., Mayor M.	91
Alfvén heating in optical filaments in cooling flows Friaça A.C.S., Gonçalves D.R., Jafelice L.C., Jatenco-Pereira		Deep UBVRI photometry in IC 348 Trullols E., Jordi C.	549
V., Opher R. (RN) Distance to the spiral galaxy NGC 6503 situated in the Local	449	Synthetic Hertzsprung-Russell diagrams of open clusters Siess L., Forestini M., Dougados C.	556
Void Karachentsev I.D., Sharina M.E.	457	HST observations of blue Straggler stars in the core of the globular cluster M 3	
Particle acceleration by magnetic field-aligned electric fields in active galactic nuclei Lesch H., Birk G.T.	461	Ferraro F.R., Paltrinieri B., Fusi Pecci F., Cacciari C., Dorman B., Rood R.T., Buonanno R., Corsi C.E., Burgarella D., Laget M.	915
Metallicity effects on the Cepheid extragalactic distance scale from EROS photometry in the large Magellanic Cloud and the small			
Magellanic Cloud		Formation, structure and evolution of stars	
Sasselov D.D., Beaulieu J.P., Renault C., Grison P., Ferlet R., Vidal-Madjar A., Maurice E., Prévot L., Aubourg E., Bareyre P., Brehin S., Coutures C., Delabrouille N., de Kat		BD-21°3873: another yellow-symbiotic barium star Smith V.V., Cunha K., Jorissen A., Boffin H.M.J.	97
J., Gros M., Laurent B., Lachièze-Rey M., Lesquoy E., Magneville C., Milsztajn A., Moscoso L., Queinnec F., Rich		The case of the two-period polar BY Camelopardalis (H0538+608)	
J., Spiro M., Vigroux L., Zylberajch S., Ansari R., Cavalier F., Moniez M., Gry C., Guibert J., Moreau O., Tajhmady F.	471	Mouchet M., Bonnet-Bidaud J.M., Somov N.N., Somova T.A.	109
(RN) A remark on the inversion of the magnification bias in the quasar-galaxy associations Zhu ZH., Wu XP.	483	The galactic double-mode Cepheids. I. Frequency analysis of the light curves and comparison with single-mode Cepheids Pardo I., Poretti E.	121
Figure-of-eight velocity curves: UGC 10205 Vega J.C., Corsini E.M., Pizzella A., Bertola F.	485	The galactic double-mode Cepheids. II. Properties of the generalized phase differences	
The determination of the star formation rate in galaxies Barbaro G., Poggianti B.M.	490	Poretti E., Pardo I. Eclipsing binaries with candidate CP stars. I. Parameters of the	133
The radio jet of quasar 0153+744 Hummel C.A., Krichbaum T.P., Witzel A., Wüllner K.H.,		systems HD 143654, HD 184035 and HD 185257 North P., Studer M., Künzli M.	137
Steffen W., Alef W., Fey A. The X-ray jet and halo of NGC 6251	857	Simultaneous optical and ROSAT X-ray observations of the classical T Tauri star BP Tauri Gullbring E., Barwig H., Schmitt J.H.M.M.	155
Mack KH., Kerp J., Klein U. Short 21-cm WSRT observations of spiral and irregular galaxies. HI properties	870	The variability of a newly discovered γ Doradus star, HD 108100 Breger M., Handler G., Garrido R., Audard N.,	100
Broeils A.H., Rhee MH.	877	Beichbuchner F., Zima W., Paparo M., Li Zhi-ping,	
Optical emission in the radio lobes of Cygnus A Nilsson K., Valtonen M.J., Jones L.R., Saslaw W.C., Lehto H.J.	888	Jiang Shi-yang, Liu Zong-li, Zhou Ai-ying, Pikall H., Stankov A., Guzik J.A., Sperl M., Krzesinski J., Ogloza W., Pajdosz G., Zola S., Serkowitsch E., Reegen P., Rumpf T.,	
$COJ = 2 \rightarrow 1$ observations of the nearby galaxies Dwingeloo 1 and Dwingeloo 2		Schmalwieser A. Gamma ray burst source statistics in the presence of stochastic	566
Tilanus R.P.J., Burton W.B.	899	errors Bisnovatyi-Kogan G.S.	573
Complex variability pattern in NGC 4151. I. Sequences on the line-continuum diagram	004	The onset of photometric variability in red giant stars Jorissen A., Mowlavi N., Sterken C., Manfroid J.	578
Malkov Y.F., Pronik V.I., Sergeev S.G.	904	Multi-site continuous spectroscopy. V. Rapid photospheric variability in the Be star 48 Persei from the MUSICOS 1989 campaign Hubert A.M., Floquet M., Hao J.X., Caillet S., Catala C.,	
Galactic structure and dynamics		Foing B.H., Neff J.E., Huang L., Hubert H., Barban C., Baudrand J., Cao H., Char S., Chatzichristou H., Cuby	
Probing the Galaxy. I. The galactic structure towards the galactic pole		J.G., Czarny J., Dreux M., Felenbok P., Guérin J., Hron J., Huovelin J., Jankov S., Jiang S., Le Contel J.M., Maitzen	
Ng Y.K., Bertelli G., Chiosi C., Bressan A. Tidally-triggered disk thickening. II. Results and interpretations	65	H.M., Petrov P., Savanov I., Shcherbakov A., Simon T., Stee P., Tuominen I., Zhai D.	929
Reshetnikov V., Combes F. Core velocity dispersions for 25 Galactic and 10 old Magellanic	80	(RN) X-ray variability in the quiescent state of Centaurus X-4 Campana S., Mereghetti S., Stella L., Colpi M.	941
globular clusters Dubath P., Meylan G., Mayor M.	505	Polar spots and stellar spindown: is dynamo saturation needed? Solanki S.K., Motamen S., Keppens R.	943

Properties of He-rich stars. I. Their evolutionary state and helium abundance Zboril M., North P., Glagolevskij Yu.V., Betrix F.	949	¹² CO J = 1-0 synthesis images of a dense torus in M 2-9 Zweigle J., Neri R., Bachiller R., Bujarrabal V., Grewing M.	624
AN Lyn: an unusual medium amplitude δ Sct star Rodríguez E., González-Bedolla S.F., Rolland A., Costa V.,		Radiative shocks in atomic and molecular stellar-like atmospheres. VIII. A self-consistent comprehensive model Huguet E., Lafon JP.J.	1046
López de Coca P. Properties and nature of Be stars. 17. V $360 \text{ Lac} = \text{HD } 216200 \text{ is a}$	959	Optical and infrared observations of 23 carbon-rich stars. Modelling of the circumstellar dust shells	
B3e+F9IV: binary Hill G., Harmanec P., Pavlovski K., Božić H., Hadrava P.,		Le Bertre T. Analytical 2-D solutions for hydrodynamic, thermally and radia-	1059
Koubský P., Žižňovský J. On the existence of interfacial waves with inclined magnetic	965	tively driven, astrophysical outflows. Applications to B stars	1071
fields Satya Narayanan A.	977	A stellar coronograph for the COME-ON-PLUS adaptive optics system. II. First astronomical results	
Does radius-to-frequency mapping persist close to the pulsar surface?		Mouillet D., Lagrange AM., Beuzit JL., Renaud N. (RN) Stellar parameters from strong-line profiles: applications to	1083
von Hoensbroech A., Xilouris K.M.	981	Hyades cluster stars	
The three-body system V 505 Sagittarii Mayer P.	988	Smith G., Ruck M.J. The line-profile variable λ Scorpii is a spectroscopic triple system	1091
Stellar evolution of low and intermediate-mass stars. III. An application of evolutionary post-AGB models: the variable central star FG Sagittae		De Mey K., Aerts C., Waelkens C., Cranmer S.R., Schrijvers	1096
Blöcker T., Schönberner D.	991		
On the comparison between spectroscopic and photometric metal- licity measurements in active solar-type stars Favata F., Micela G., Sciortino S., Morale F.	998	Diffuse matter in space (including H II regions and planetary nebulae)	
Do we see free precessing pulsars?	1005	Four dense molecular cores in the Taurus Molecular Cloud (TMC). Ammonia and cyanodiacetylene observations	
(RN) Analysis of a photoelectric light curve of the W UMa-type	1005	Codella C., Welser R., Henkel C., Benson P.J., Myers P.C.	203
binary ST Ind	1010	Pumping of Class II methanol masers. II. The 5_1 – 6_0 A^+ transition Sobolev A.M., Cragg D.M., Godfrey P.D.	211
Prompt entrainment in the variable molecular jet from RNO	1010	Chemistry and rotational excitation of O ₂ in interstellar clouds. I. Predicted emissivities of lines for the ODIN, SWAS, PRON-	
15-FIR Davis Ch.J., Eislöffel J., Ray Th.P., Jenness T.	1013	AOS-SMH and PIROG 8 submillimeter receivers Maréchal P., Viala Y.P., Benayoun J.J.	221
The effect of increasing helium abundance on the NLTE model atmospheres of hot white dwarfs Kubát J.	1020	Chemistry in oxygen-rich circumstellar envelopes Willacy K., Millar T.J.	237
The EUV spectrum of × Ceti: an active Sun		Cometary globules. III. Triggered star formation in IC 1848 Lefloch B., Lazareff B., Castets A.	249
Landi E., Landini M., Del Zanna G. A 1.3 mm dust continuum survey of Hα selected T Tauri stars in Lupus	1027	Near-IR imaging of the molecular outflows in HH 24–26, L 1634 (HH 240–241), L 1660 (HH 72) and RNO 15 FIR	
Nürnberger D., Chini R., Zinnecker H.	1036	Davis C.J., Ray T.P., Eislöffel J., Corcoran D. A new, evolved bipolar planetary nebula	263
Stellar atmospheres		Corradi R.L.M., Villaver E., Mampaso A., Perinotto M.	276
Multidimensional radiative transfer with multilevel atoms. II. The non-linear multigrid method		The infrared reflection nebula around the embedded sources in S 140 Hatter D. Brogman J. Tielens A.G.G.M. Tomi P. Bonk	•
Fabiani Bendicho P., Trujillo Bueno J., Auer L.	161	Harker D., Bregman J., Tielens A.G.G.M., Temi P., Rank D.	629
Forbidden lines in Herbig Ae/Be stars. The [OI] (1F) 6300.31 Å and 6363.79 Å lines. II. Longslit observations of selected objects Böhm T., Hirth G.A.	177	Multi-frequency radio spectral studies of the supernova remnant G 78.2+2.1	t 641
Model atmospheres of cool, low-metallicity stars: the importance of		Zhang X., Zheng Y., Landecker T.L., Higgs L.A. Case studies for planetary nebulae with tilted axes	041
Borysow A., Gråe Jørgensen U., Zheng C.	185	Saurer W.	651
The CaI 4227 line as a chromospheric diagnostic for M dwarfs		Optical emission line profiles of the LV knots (proplyds) in Orion	
Short C.I., Doyle J.G., Byrne P.B. Erratum: Notes on the convection in the ATLAS 9 model atmo-	196	Henney W.J., Meaburn J., Raga A.C., Massey R. Carrier of the emission λ 5797 DIB in the ISM and in the Red	656
spheres Castelli F., Gratton R.G., Kurucz R.L.	432	Rectangle: a suprathermally rotating PAH molecule? Rouan D., Léger A., Le Coupanec P.	661
Continuum IR emission of Be star wind-compressed discs Porter J.M.	597	Spectroscopic study of the planetary nebulae with Wolf-Rayer nuclei in the Magellanic Clouds	
Spectropolarimetry and nebular geometry of the symbiotic star HBV 475		Peña M., Ruiz M.T., Torres-Peimbert S. COMPTEL three-year search for galactic sources of 4 Ti gamma-ray	674 y
Schild H., Schmid H.M.	606	line emission at 1.157 MeV	
Mid- and far-infrared properties of dynamical models of carbon-rich long-period variables		Dupraz C., Bloemen H., Bennett K., Diehl R., Hermsen W., Iyudin A.F., Ryan J., Schönfelder V.	683
Windsteig W., Dorfi E.A., Höfner S., Hron J., Kerschbaum F.	617	X-ray emitting stars in the NGC 1333 star forming region Preibisch Th.	690

The Paschen decrement as a density indicator in MWC 349 Thum C., Greve A.	699	Fast maximum entropy restoration of low-noise solar images Arzner K., Magun A.	735
Local interstellar cloud electron density from magnesium and sodium ionization: a comparison		Velocity and intensity oscillations in sunspot penumbrae Sigwarth M., Mattig W.	743
Polarization models of filamentary molecular clouds	1105 1115	From chaotic to 1/f processes in solar mcw-bursts Ryabov V.B., Stepanov A.V., Usik P.V., Vavriv D.M., Vinogradov V.V., Yurovsky Yu.F.	750
The chemical evolution of planetary nebulae Bachiller R., Forveille T., Huggins P.J., Cox P.	1123	Chromospheric polarity reversals on sunspots. Are they consistent with weak line emission?	750
The photon dominated regions associated with NGC 2023 and		Sánchez Almeida J.	763
S 140 Wyrowski F., Walmsley C.M., Natta A., Tielens A.G.G.M.	1135	MHD surface type quasi-modes of a current sheet model Tirry W.J., Cadež V.M., Goossens M.	1170
A very reduced upper limit on the interstellar abundance of beryllium		(RN) Three colour photometry of solar limb faculae de Boer C.R., Stellmacher G., Wiehr E.	1179
Hébrard G., Lemoine M., Ferlet R., Vidal-Madjar A. (RN) DHW 1-2: a mislaid planetary nebula of peculiar morpho-	1145	Determination of physical parameters in dark mottles Tsiropoula G., Schmieder B.	1183
logy Kerber F., Gröbner H., Lercher G., Weinberger R.	1149	The solar system	
The supernova remnant CTA 1 (G 119.5+10.3): a study of the breakout phenomenon		The Shoemaker-Levy 9 H impact: some results from the William	
Pineault S., Landecker T.L., Swerdlyk C.M., Reich W. The "Criss-Cross Nebula": an interaction of the Orion-Eridanus	1152	Herschel Telescope Ortiz J.L., Orton G., Moreno F., Molina A., Larson S.,	
Bubble with a small interstellar cloud Zanin C., Weinberger R.	1165	Yanamandra-Fisher P. Orbital evolution of meteoroids from short period comets	357
		Cremonese G., Fulle M., Marzari F., Vanzani V.	770
The Com-		On dynamical scattering of Kuiper Belt Objects in 2:3 resonance with Neptune into short-period comets <i>Ip WH., Fernandez J.A.</i>	778
The Sun		Equilibrium figure of a rotating body composed of two-layered	770
1-D and 2-D model atmospheres: iron and lithium LTE abundances in the Sun Gadun A.S., Pavlenko Ya.V.	281	incompressible fluids with application to the theory of lunar origin	
Post-flare loops of May 16, 1981. Spectral analysis	201	Kubo-oka T., Nakazawa K.	785
Gu XM., Ding YJ., Luo Z., Schmieder B.	289	Jovian soot from cometary impacts? Höfner S., Wuchterl G.	795
Solar internal rotation from LOWL data. A 2D regularized least-squares inversion using B-splines Corbard T., Berthomieu G., Morel P., Provost J., Schou J.,		The first three-dimensional reconstruction of a celestial object at radio wavelengths: Jupiter's radiation belts	1190
Tomczyk S. Convection driven heating of the solar middle chromosphere by	298	Dust environment of Comet Hyakutake 1996B2	
Goodman M.L.	311	Fulle M., Mikuž H., Bosio S.	1197
The chromospheric response due to filament eruption		Celestial mechanics and astrometry	
Filippov B.P. Mean magnetic field and energy balance of Parker's surface-wave	324	Theory of motion and ephemerides of Hyperion Duriez L., Vienne A.	366
Ossendrijver A.J.H., Hoyng P.	329		
Quantum interferences, hyperfine structure, and Raman scattering		Physical and chemical processes	
on the Sun Stenflo J.O.	344	Fe XVII X-ray lines in solar coronal and laboratory plasmas Phillips K.J.H., Greer C.J., Bhatia A.K., Coffey I.H., Barnsley R., Keenan F.P.	381
Erratum: Yohkoh observations of flares with flat hard X-ray spectra	7	γ-ray emission and spectral evolution of pair plasmas in AGN jets.	301
Fárník F., Hudson H., Watanabe T.	433	I. General theory and a prediction for the GeV-TeV emission from	
Acoustic wave propagation in the solar atmosphere. IV. Nonadia-		ultrarelativistic jets Böttcher M., Mause H., Schlickeiser R.	395
batic wave excitation with frequency spectra Theurer J., Ulmschneider P., Cuntz M.	587	Effect of iron ionization balance on X-ray spectral analysis Masai K.	410
Dynamics of the solar photosphere. I. Two-dimensional spectros- copy of mesoscale phenomena		Dynamical response of magnetic tubes to transverse perturbations.	410
Straus Th., Bonaccini D.	704	I. Thick flux tubes Ziegler U., Ulmschneider P.	417
Vertical current and flare sites in an active region in 1989 October	,	Semiclassical collisional functions in a non ideal plasma	
Zhang H.	713	Ben Nessib N., Sahal-Bréchot S., Ben Lakhdar Z.	799
Acoustic wave propagation in the solar atmosphere. V. Observa tions versus simulations	-	Light scattering by aggregate particles Xing Z., Hanner M.S.	805
Theurer J., Ulmschneider P., Kalkofen W.	717	On the global stability of rotating magnetized disks	024
A kinetic model of the solar wind with Kappa distribution function in the corona	S	Kitchatinov L.L., Mazur M.V. The dynamics of twisted accretion disc around a Kerr black hole	821
Maksimovic M., Pierrard V., Lemaire J.F.	725	Demianski M., Ivanov P.B.	829

Processes of $H-H^+-e$ and H^\pm_2-e recombination in the weakly- ionized layers of the solar atmosphere Mihajlov A.A., Ignjatović Lj.M., Vasilijević M.M.,		Studies of the Centaurus cluster. I. A catalogue of galaxies in the central region of the Centaurus cluster Jerjen H., Dressler A.	1222
	1206	UBVRI imaging photometry of the open cluster Cr 272	1222
the different radiative and collisional processes	1211	Nonvariability among λ Bootis stars Paunzen E., Kuschnig R., Handler G., Gelbmann M., Weiss	1222
Preview of accepted papers (June 1997)	835	The FUOR characteristics of the PMS star BN Orionis inferred from new spectroscopic and photometric observations	1222
Abstracts of articles which have been published in A&A Supplement Series 123, No. 3 $$	839	Shevchenko V.S., Ezhkova O., Tjin A Djie H.R.E., van den Ancker M.E., Blondel P.F.C., de Winter D. Southern and equatorial irregular variables. I. Photoelectric pho-	1222
A sample of galaxy clusters to study the fundamental plane: Redshift measurements		tometry	1223
Maurogordato S., Proust D., Cappi A., Slezak E., Martin J.M.	839	stars Cieslinski D., Steiner J.E., Elizalde F., Pereira M.G.	1223
Multi-frequency radio continuum mapping of giant radio galaxies Mack KH., Klein U., O'Dea C.P., Willis A.G.	839	A survey of the stellar rotation in barred galaxies Bettoni D., Galletta G.	1223
On the possible variability of metallic-line and mercury-manganese stars Adelman S.J.	839	MSC - a catalogue of physical multiple stars	1223
Updating standard solar models Ciacio F., Degl'Innocenti S., Ricci B.	839		1224
A photometric and spectroscopic study of the association LH 47 in the superbubble N 44 in the LMC Will JM., Bomans D.J., Dieball A.	839	Extragalactic database. VII. Reduction of astrophysical parameters Paturel G., Andernach H., Bottinelli L., Di Nella H., Durand	
Will JW., Bornals B.J., Diebalt A. Library of high and mid-resolution spectra in the Ca II H & K, Hα, Hβ, Na I D ₁ , D ₂ , and He I D ₃ line regions of F, G, K and M field	839	,	1224
stars Montes D., Martín E.L., Fernández-Figueroa M.J., Cornide M., De Castro E.	840	An atlas of X- and γ-ray pulse profiles of the Crab pulsar (PSR 0531+21): An analysis of energy and time variations <i>Massaro E., Feroci M., Matt G.</i>	1224
CCD measurements of double and multiple stars in Belgrade Popović G.M., Pavlović R.	840	Analysis of seven face-on spiral galaxies Pompei E., Natali G.	1224
The accuracy of parameters determined with the core-sampling method: Application to Voronoi tessellations		Mean light curves of long-period variables and discrimination between carbon- and oxygen-rich stars Mennessier M.O., Boughaleb H., Mattei J.A.	1224
Doroshkevich A.G., Gottlöber S., Madsen S. A photometric study of the Bright Cloud B in Sagittarius. VIII. 1061 new variable stars	840	Systematic differences Astrolabe-FK5 derived from observations at 60° zenith distance Noël F.	1224
Terzan A., Bernard A., Guibert J. Surveys of ultraviolet-excess quasar candidates in large fields. The	840	Absolute proper motions for the calibration of the Hipparcos proper motion system	
area around NGC 450 Gosset E., Moreau O., Surdej J., Swings JP., Arp H.C.	840	Geffert M., Klemola A.R., Hiesgen M., Schmoll J. The ESO-Sculptor faint galaxy redshift survey: The photometric	1225
The long-term optical behavior of Mkn 421 Liu F.K., Liu B.F., Xie G.Z.	841	sample Arnouts S., de Lapparent V., Mathez G., Mazure A., Mellier	
Atomic data from the IRON Project. XXIII. Relativistic excitation rate coefficients for Fe XXII with inclusion of radiation damping <i>Zhang H.L.</i> , <i>Pradhan A.K</i> .	841	Y., Bertin E., Kruszewski A. Recovering line profiles from frequency-switched spectra	1225
Superconducting tunnel junctions as detectors for ultraviolet, optical, and near infrared astronomy		Liszt H. Absolute stellar proper motions with reference to galaxies of the M 81 group	1225
Peacock T., Verhoeve P., Rando N., Perryman M.A.C., Taylor B.G., Jakobsen P.	841	Odenkirchen M., Brosche P., Börngen F., Meusinger H., Ziener R.	1225
Wedged double Wollaston, a device for single shot polarimetric measurements Oliva E.	841	Image restoration by simple adaptive deconvolution Waniak W.	1226
Abstracts of articles which have been published in A&A Supplement Series 124, No. 1	1222		